Review article

Economics of Agriculture 3/2017 UDC: 005.334:640.4

RISK MANAGEMENT OF ALLERGENIC FOOD INGREDIENTS IN HOSPITALITY¹

Jovanka Popov-Raljić², Milica Aleksić³, Vesna Janković⁴, Ivana Blešić⁵, Milan Ivkov⁶

Summary

Food allergens have appeared in the last two decades as a concealed form of threat which significantly endangers public health, and their labelling on food products, drinks, and non pre-packed gastro-products is clearly defined with legal regulations.

In practice, the chemical risk management is faced with several unexpected problems. Some of them are declarations or statements about allergenic ingredients, where a nutritional allergen that the food contains is labelled with an unusual name, or similar products from different manufacturers where one is safe and the other contains allergens.

A hospitality facility which deals with production and distribution of unpackaged foods should, in addition to a developed HACCP concept and standardized recipes for food preparation, prepare a detailed, precise, and clearly defined plan for management of chemical risks.

Key words: Allergenic food ingredients, risk management, hospitality, food safety

JEL: 118, L66, Q18

¹ This paper is a part of the short-term project of the Province – Vojvodina, Novi Sad, named: Agricultural, food and gastro-products in the function of tourism development in Vojvodina directed to authentic and healthy and safe food, under the number: 142-451-2669/2017.

² Jovanka Popov-Raljić Ph.D., Full Professor, University of Novi Sad, Faculty of Science, Department of Geography, Tourism and Hotel Management, Trg Dositeja Obradovića 3. 21000 Novi Sad, Serbia, Phone: +381 21 485 2884, E-mail: jovankaraljicpopov@gmail.com

³ Milica Aleksić, M.A., Assistant, University of Novi Sad, Faculty of Science, Department of Geography, Tourism and Hotel Management, Trg Dositeja Obradovića no. 3. 21000 Novi Sad, Serbia, Phone: +381 21 485 2884, E-mail: aleksic.milica75@gmail.com

⁴ Vesna Janković Ph.D., Institute of Meat Hygiene and Technology (INMES), Department of Microbiological and Molecular - Biological Research, Kacanskog street no. 13, Belgrade, Serbia, Phone: +381 11 26 50 655, E-mail: yesna.jankovic@inmes.rs

⁵ Ivana Blešić Ph.D., Associate Professor, University of Novi Sad, Faculty of Science, Department of Geography, Tourism and Hotel Management, Trg Dositeja Obradovića no. 3. 21000 Novi Sad, Serbia, Phone: +381 21 485 2884, E-mail: jvana.blesic@gmail.com

⁶ Milan Ivkov Ph.D., University of Novi Sad, Faculty of Science, Department of Geography, Tourism and Hotel Management, Trg Dositeja Obradovića no. 3. 21000 Novi Sad, Serbia, Phone: +381 21 485 2842, E-mail: ivkov.milan@gmail.com

Introduction

Allergenic food ingredients, food allergies and intolerance present a food safety risk that has been a subject of great polemics lately. In European countries it is stated that the prevalence of food allergies in the total population is present 1-3% among adults and 4-6% among children, whereas in the USA this number increases to 9 million adults (4% of adult population) and 6 million or 8% of children under 18 (Branum, Lukacs, 2008; De Blok et al., 2007). Considering the fact that the percentage of population allergic to certain foodstuffs is on the increase, it is of great importance that the staff of hospitality facilities are informed about food allergies and the methods of preventing allergic reactions (Mandabach et al., 2005). Advantages of providing correct food and beverages service to consumers with food allergies include increasing sales, respect and loyalty of consumers (Kwon et al., 2013). According to Abbot et al., 2007, research in the world indicates the lack of knowledge with employees in hospitality about risks of allergenic food ingredients. The worldwide research also indicate the fact that approximately 70% of employees in hospitality has not had an opportunity to be trained and educated about food allergens, allergenic food ingredients or allergen management (Ahuja, Sicherer, 2007; Choi, Rajagopal, 2013).

According to the Regulation on declaration, labeling and advertizing food (Pravilnik o deklarisanju, označavanju i reklamiranju hrane ("Sl.glasnik RS" broj 19/2017) there are 14 food ingredients which can cause allergic reactions or intolerance, and for 11 of the mentioned ingredients there are also suggested reference doses (Allergen bureau, 2012). Their distribution and severity of consequences of food and derivatives allergies (Fooddrink Europe, 2013) are shown in *Table 1*.

Table 1. Allergenic food ingredients and their distribution

Allergens and their reference doses (mg)	Distribution and severity	Certain derivatives and food that contain allergens which can provoke allergic reactions
Cereals that contain gluten (wheat, rye, oats, barley, spelt, kamut and varieties obtained by crossing them, with the exception of: wheat based glucose syrup and dextrose, wheat maltodextrin, glucose syrups based on barley and cereal destilates or ethyl alcohol of agricultural origin for the production of strong alcoholic beverages obtained from cereals) Reference dose = 1mg	Celiac disease or gluten intolerance. Allergens from cereals can cross-react with pollen allergens.	 ✓ Flour ✓ Starch ✓ Bran ✓ Melba toast ✓ Bread, breadcrumbs ✓ Grits ✓ Cous-cous ✓ Hydrolysed vegetable protein protein povrća (if originates from wheat)

Reference dose = 0,03 mg	Egg allergy is common with children, but more than a half of children outgrow this allergy by their third year of age. Some individuals may experience anaphylactic reactions	✓ Powdered eggs, dried eggs or pasteurized eggs ✓ Albumin ✓ Egg glaze ✓ Mayonnaise *Note: Lysozyme (produced from eggs), which is used in wines, and albuminhave small chances of causing a reaction. However, when lysozyme is used for other purposes, it can cause unwanted reactions.
Milk and dairy products including lactose Except: whey used to produce destilates or ethyl alcohol of agricultural origin for strong alcoholic beverages, lactitol. Reference dose = 0,1 mg	Allergy to cow's milk is the most common allergy with younger children and it is present with 2-7% babies under one year of age. About 87% of children grow out of this allergy by their third year of age. There is a large degree of cross-reactivity between cow's milk and milk of other mammals, such as sheep, goats or buffalo.	✓ Whey ✓ Casein ✓ Milk powder ✓ Lactose ✓ Butter, cheese, creams, yoghurt
Allergens and their reference doses (mg)	Distribution and severity	Certain derivatives and food that contain allergens which can provoke allergic reactions
Crustaceans (crabs) and their products Reference dose = 1 mg	Allergy to crabs is very common. People who are sensitive can react to different kinds of crustaceans. Crustaceans often cause severe reactions, and some people may react to vapour produced during cooking.	 ✓ Gastro-products made of crustaceans ✓ Salads ✓ Dippings ✓ Clear and thick soups

Shellfish and other mollusks and their products Reference dose is not determined	Allergies to shellfish can cause reactions even in people who are sensitive to protein in fish products. Isolated protein which causes the stated reactions is called tropomyosin and it is contained in all shellfish, and/ or parvalbumin which is found in codfish. The research has shown that trpomyosin is a cross-reactive allergen both in crustaceans and mollusks	 ✓ Hot dishes made of shellfish and mollusks ✓ Salads ✓ Dippingd ✓ Clear and thick soups
Fishery products (codfish, shark, salmon, tuna) With the exception of fish gelatin used as a carrier for vitamines, fish gelatin or isinglass for clarification of beer and wine Reference dose = 0,1 mg	Fish allergy is more common in adults than in children, but it can often be very severe and cause an anaphylactic shock. All major fish allergies can cross react in the sense of their allergenicity and no fish is safe for perople allergic to it.	✓ All kinds of fish ✓ Fish extracts ✓ Fish sauces ✓ Fish oils ✓ Worcester sauce ✓ Omega-3 oils *Note: fish gelatin used for vitamins and flavours, and fish gelatine used in beer, wine and cider production have little chance of causing allergic reactions.
Allergens and their reference doses (mg)	Distribution and severity	Certain derivatives and food that contain allergens which can provoke allergic reactions
Soy and soy products With the exception of completely refined soybean oil and fat, natural mixtures with tocopherols (E306), natural D-alpha tocopherol acetate, D-alpha tocopherolsuccinate originated in soy, phytosterol and phytosterol esters isolated from soybean oil Reference dose = 1 mg	Allergy to soybeans is common in children, but they often grow out of it by the age of two. Adults are sometimes affected with this allergy. The symptoms are usually mild, and anaphylactic reactiona are very rare. An allergic cross-reactivity of soybeans and other legumes, including peanuts is possible, and there are reports on the cross-reactivity of soybeans and cow's milk.	 ✓ Soy flour ✓ Tofu from soybeans ✓ Soy protein isolates ✓ Soy protein concentrate ✓ Soybean formula for infants ✓ Soy sauce

Lupin and lupin products Reference dose = 4 mg	Lupin, or lupine, is a genus in the legume family. Lupin flour is rich in protein, especially in lysine, an essential aminoacid.	 ✓ Bread ✓ Pastry ✓ Dippings ✓ Stews ✓ Pasta ✓ Meat products–sausages
Peanut and peanut products Reference dose = 0,2 mg	A significant number of people allergic to peanutsare allergic to other nuts as well, and they also have an allergic cross-reaction with other legumes, such as soybeans and lupin. Thermal treatment, especially baking, increases the allergenicity of peanuts.	 ✓ Non-refined, cold-pressed peanut oil ✓ Peanut butter ✓ Peanut flour ✓ Different peanut protein products ✓ Refined peanut oil
Allergens and their reference doses (mg)	Distribution and severity	Certain derivatives and food that contain allergens which can provoke allergic reactions
Nuts: almonds, hazelnuts, walnuts, cashews, pecans, Brazilian nuts, pistachios, macadamia nuts and Queensland nuts and their products. Except: nuts used in the production of destilates and ethyl alcohol of agricultural origin for strong alcoholic beverage Reference dose = 0,1 mg	Almonds, hazelnuts, walnuts, cashews, pecans, Brazilian nuts, pistachios, macadamia nuts and Queensland nuts and their products – are very common causes of allergies and they can cause anaphylactic reactions in people who are susceptible to allergies.	 ✓ Butter made of nuts ✓ Pralines (hazelnut) ✓ Marcipan ✓ Almonds paste ✓ Walnut oil ✓ Worcester sauce (some brands contain walnuts)
Celery and celery products Reference dose = not determined	Celery is a common cause of allergies in Europe. The symptoms range from mild to severe (anaphylaxis). In Germany, 2.5% of population suffer from this form of food allergy, whereas it is not common in Great Britain.	✓ Celery powder ✓ Celery seeds *Note:celery leaves and seed oil most commonly do not cause allergic reactions.

Mustard and mustard de-st-	Mustand allarge is a standard	✓ Mustard paste
Mustard and mustard products	Mustard allergy is not common in Great Britain, however, it	✓ Mustard paste✓ Mustard seed
	· · · · · · · · · · · · · · · · · · ·	✓ Mustard leaves
	is common in France, where	✓ Mustard leaves ✓ Mustard flour
	severe reactions, incuding	
	anaphylaxix, have been	✓ Mustard powder
	reported.	*Note: mustard oil and mustard
Reference dose = 0,05 mg		seed oil most commonly do not
		cause allergic reactions.
141 6 1	D: () ()	
Allergens and their reference doses	Distribution and severity	Certain derivatives and food
(mg)		that contain allergens which can
		provoke allergic reactions
Sesame seed and sesame products	Sesame allergy is most	✓ Sesame seed
	pronounced among inhabitants	✓ Sesame oil
	of Israel, and it is increasingly	✓ Sesame paste
	common in Great Britain	✓ Tahini
	as well and it can cause	✓ Hummus
	severe reactions including	✓ Halvah
	anaphylaxis.	
	There is a cross-reactivity	
Reference dose = 0,2 mg	between nuts and sesame	
	seeds.	
Sulfur – dioxide and sulfites	Supplements of sulfites in	✓ E220 sulfur dioxide
	wines are associated with	✓ E221 sodiumsulfite
	causing asthmatic reaction	✓ E222 sodium bisulfite
	in sensitive individuals, most	✓ E223 sodium metabisulfite
SO ₂	commonly people who suffer	✓ E224 potassium metabisulfite
	from asthma.	✓ E226 calcium sulfite
*avay 10mg/kg ay 10 mg/l a	Symptoms can be severe with	✓ E227 calcium bisulfite
*over 10mg/kg or 10 mg/l expressed as SO2	a minority of people suffering	✓ E228 potassium bisulfite
as 502	from asthma.	·
		Sulfur dioxide and sulfites are
		used as preservatives – dried fruit
		and vegetables, non-alcoholic
		beverages, fruit juices, fermented
		beverages such as wine, beer,
		ciders, sausages and burgers.
	<u> </u>	

Source: Authors' presentation according to the Regulation on declaration, labeling and advertizing food (Pravilnik o deklarisanju, označavanju i reklamiranju hrane ("Sl.glasnik RS" broj 19/2017), Allergen bureau, 2012. and Fooddrink Europe, 2013.

Besides 14 common nutritive allergens which must be labeled, consumers often complain on allergies and intolerances to other types of food such as honey, tomato, kiwi, oranges, rice, apples and others (Zurzolo et al., 2012).

Management of food allergens

Application of basic principles of food safety management in hospitality grounded on understanding of nutritive allergies and food production processed leads to the development of a system which can support production of food which contains and does not contain a certain allergen in conditions where the risk for a consumer is reduced to a minimum (Alldrick, 2006). The modern approach to food safety management in hospitality is most often based on a need to prevent a risk and reduce it to an acceptable level, before it actually appears in practice. Allergies and intolerances to food ingredients which are contained in gastro-products are one of the safety risks which are widely considered in food industry. The general opinion is that in case of allergenic food ingredients it is not realistic to talk about the possibilities of zero risk (Kroes et al., 2000; Madsen et al., 2012), which is why it is extremely important to set standards in hospitality which will reduce this risk to a minimum. Precisely defined and consistent standards related to allergen safety management lead to a consistent and sustainable safety management in food industry (Hattersley et al., 2014) but also in the production of gastro-products in hospitality facilities. Allergenic food ingredients can pose a risk in two situations, when they directly enter the organism individually or as ingredients of a gastro-product or with a cross-contamination of non-allergenic foodstuffs with the allergenic ones during the food production process (Madsen et al., 2009).

The illustrative image (*Picture 1*.) shows the basic critical elements in estimating and management of allergenic risks (Fooddrink Europe, 2013).

Picture 1. Critical elements in estimating and management of allergenic risks in hospitality

Source: Modified according to Fooddrink Europe, 2013.

People – the communication of risks or the process of exchanging information between the interested parties about the nature, intensity and importance of risk control is extremely important for the food safety system, because how we understand the risk affects the

perception of specific risks (allergenic food ingredients) of an individual or a group.

Knowledge and behaviour of management and employees and their perception of the importance of allergenic food ingredients of risk management have a significant effect on the outcomes of allergenic reactions in hospitality facilities (Lee, Sozen, 2016). Concretely, employees in hospitality facilities have a critical role in reducing the unwanted effects of allergenic food ingredients and their job requires specialized knowledge based on HACCP principles in risk management and implementation of safety protocols of allergens management (Aleksić, Popov-Raljić, 2015; Dupuis et al., 2016).

A supply chain – the control of allergens in a supply chain requires close connection and good communication with suppliers with clearly defined needs and requirements. A food distributor and supplier must be confidential, constant and consistent, with determined standards and developed professional awareness of potential risks which can be caused by mistaking a product of similar packaging and different suppliers. Examples of good production practice are questionnaires about being acquainted with health and safety risks and taken measured during the food distribution filled by suppliers during the application process, regardless having a well elaborated HACCP plan.

Handling raw materials – reception and storage of food ingredientsmust be a strictly controlled part of the food safety system. Although common procedures referring to security and sustainability of health and safety quality of food largely secure this potential risk, it is necessary to additionally control declarations and keep records of risky raw materials, products and half-products (Popov-Raljić, Blešić, 2016).

A design and equipment of production plants and hospitality kitchens – the production area, professional equipment and tools are besides the human factor one of the most common causes of cross-contamination of food in a hospitality facility. It is desirable that production parts of a facility have a physically separated area for the production of gastro-products which are labeled as safe for health / without allergens. In case there are not such conditions, it is required that the HACCP plan precisely defines procedures for cleaning and sanitation of equipment and tools used directly in the process of allergen-free gastro-products, as well as the methods of serving this type of product.


Production – a traditional way of food safety control, under the jurisdiction of state inspection authorities, was oriented to short-term goals of consumers, which is why the responsibility is nowadays transferred to the producer who must at any time document that a product is of a high quality and safe for consumer health (Popov-Raljić, 2013). The basic step is including the proscribed allergens in the HACCP plan of the production process as chemical risks in order to reduce the cross-contamination risk to a minimum, determine the plan of correct maintenance and cleaning work rooms and elements and determine the rules for storing foodstuffs that contain allergens. These procedures must especially cover the part of the production process of a product reconstruction or recycling where the foodstuffs which have been processed into half-products are after a while processed into a final product. The second step of providing production protocols is a standardization of production and their records within standardized product descriptions / recipes for food preparation in a hospitality facility. With the product

description, allergens and allergenic food ingredientsmust be precisely defined, as well as a possibility of making a dish without allergenic ingredients with exactly signified alternatives for allergenic food ingredients.

Information for consumers and documentation—according to the Regulation on declaration, labeling and advertizing food (Pravilnik o deklarisanju, označavanju i reklamiranju hrane ("Sl.glasnik RS" broj 19/2017) subjects in food business in all stages of the food chain are responsible for declarations if their activities include providing information about food to consumers. The subject responsible for the declaration of packaged food is the one stated on the product. For the declaration of unpackaged food, the responsible subject is the one who offers, and/or sells the product to the end consumer in the place of sale. It is very important that the information on allergens is unambiguous, readable, indelible and uncovered by other text or a picture. In hospitality facilities, the information on allergens can be expressed in: means of offer with the name of a dish and the food ingredients it contains (menus), on cards which accompany a dish in a showcase or buffet tables, on a screen or posters with a daily offer, or in standardized recipes (Aleksić, Popov-Raljić, 2015). Examples of good practice are spreadsheets (*Table 2*.) which provide basic information on nutritive allergens put in a visible place where they are accessible to all employees in the production part of a facility.

Table 2. An example of basic information on allergenic food ingredients contained in Gastro-products in a hospitality kitchen

SH	ALLERGEN INGREDIENTS IN GASTRO PRODUCTS / DISHES													ICT	
GASTRO PRODUCT/ DISH	LUPIN	MOLLUSC	GLUTEN	CRUSTACEANS	EGG	FISH	PEANUT / TREENUT	MILK	GROUNDNUT	SOYA	SESAME	CELERY	MUSTARD	SULPHITES	FINAL GASTRO PRODUCT SOURCE OFALLERGEN
Amuse bouche															tuna, dressing
Smoked salmon															fish, prawn
Terrine															brioche, pistachio
Celery soup															celery, milk



Source: Authors

The development of new gastronomic products and their changes – when introducing a new gastro-product/dish, it is necessary to consider whether an allergenic ingredient has a major role or whether it can be substituted, and if so, it should be stated what it can be substituted with

The importance and goals of implementing new knowledge in the field of allergenic food ingredientsrisk management

In the field of allergenic food ingredients risk management in the food industry and hospitality, the irrational opinion of zero risk tolerance prevails, which imposes complete avoidance of any food ingredients which can be a potential allergen (Allen et al., 2014). The risk of cross-contamination with allergens in the production process exists even with the efforts of food producers to act in compliance with all requests of application of good hygienic practice principles. The predictive modeling in the allergenic food ingredients risk management is significantly made difficult because of badly defined way of labeling foodstuffs where the zero tolerance of risk of allergens imposes on the food producers to use the term "it may

contain" when labeling food products. According to Zurzolo et al., 2013, about 65% of food ingredients which are daily used in nutrition in Australia are labeled with a preventive phrase "it may contain". This form of labeling misleads the consumers with a food allergy problem as well as caterers who are obliged to make their gastro-product in compliance with legal regulations and needs of consumers. The need for establishing a reliable system of food declaration, labeling and advertizing caused the necessary step of science such as determining an eliciting dose / ED of allergenic food ingredientswhich can vary depending on individual predispositions and geographic determinants. For the reason of consumers' safety, the lowest doses determined by a research of a group of scientists in Allergen bureau VITAL in Australia are taken as starting eliciting doses of protein in allergenic foodstuffs. The program VITAL 2.0 (Allergen bureau, 2012) determined the reference doses of the overall intake of allergenic proteins (table 1.) and the action network of the level of risk of allergenic food ingredients is determined and it represents a ratio of reference doses and reference quantities of food intake / a gastro-product serving size for one meal.

Transition between action levels =
*Reference dose x (1000 / *Reference quantity of intake)

*Reference dose – is a total quantity of a protein from an allergenic foodstuff which only the most sensitive portion of the allergic population reacts to (1-5%).

*Reference quantity of intake – the total quantity of a consumed gastro-product

By determining reference doses, an effective foundation of communication within allergenic foodstuffs risk management was established, which has enabled a detailed identification, characterization and significantly facilitated risk management, pondering and choice, that is, a detailed risk analysis.

Conclusion

Basic characteristics of nutritive allergens (a large number of food ingredients containing allergens, a minimal quantity which causes a reaction, a wide range of symptoms, and a small number of people suffering from food allergies) represent a great challenge for food manufacturers in the process of making a safety management plan. Safety management of nutritive allergens has to be directed to careful risk analyses in every segment of food production and sales chain in hospitality. The guidelines that point to a potential risk must be ensured so that nutritive allergens are clearly and precisely defined or that they are not present in quantities which can jeopardize the health of consumers. They must follow all segments of food production and sales chain in a hospitality facility, from the design, through the origin of a food ingredient, declaration and labeling in the means of supply to the safe consummation of food and established responsibility.

Allergenic food ingredients and gastro-products which contain them are distinguished by specific characteristics compared to other health and safety risks. They can be controlled and reduced to a minimum with the application of developed methodologies within the context of

other risks. The key foundation of the management of allergen safety is good communication between consumers and employees, employees and suppliers and interpersonal communication in a hospitality facility. Nevertheless, risks which are not controlled by allergen management are undeclared or wrongly declared allergens and undetermined allergies. Allergens in food ingredients which are not correctly labeled or which are pointed out in a less recognizable manner can cause significant failures in the safety management system. Another risky point which is almost impossible to avoid is an allergic reaction which has occurred for the first time. These situations require that there is a person in a hospitality facility who is trained to recognize such symptoms and react correctly and timely.

The factor which is the most difficult to control and which can significantly endanger the food safety system is a human factor. Therefore, one of the primary tasks of a hospitality facility management is providing appropriate trainings and education with the aim of raising awareness in employees of risks which can be caused by allergenic food ingredients and gastro-products.

Literature

- 1. Abbot, M., Byrd-Bredbenner, C., Grasso, D. (2007): *Know before you serve: developing a food-allergy fact sheet*, Cornell Hotel Restaurant Administration Quarterly, No. 48, pp. 274–283.
- 2. Ahuja, R., Sicherer, H. (2007): Food allergy management from the perspective of restaurant and food establishment personnel, Annals of Allergy, Asthma and Immunology, No. 98, pp. 344–348.
- 3. Alldrick, J. (2006): *Managing allergy issues*, Anherm Netherlands: The World of food ingredients, (October/November), pp. 64-65.
- 4. Allen, K.J., Remington, B.C., Baumert, J.L., Crevel, R.W.R., Houben, G.F., Brooke-Taylor, S., Kruizinga, A.G., Taylor, S.L. (2014): Allergen reference doses for precautionary labeling (VITAL 2.0): clinical implications, *Journal of Allergy and Clinical Immunology*, Vol. 133, No.1, pp. 156-164.
- 5. Aleksić M., Popov-Raljić J. (2015): *Alergeni kao hemijski rizici u sistemu bezbednosti hrane i njihovo označavanje*, Hotellink, Visoka hotelijerska škola, Beograd, Srbija.
- 6. Allergen bureau (2012): *Informing the food industry VITAL 2.0 what you need to know.* Allergen bureau Australia and New Zealand.
- 7. Branum, M., Lukacs, S. (2008): *Food Allergy Among US Children: Trends in Prevalence and Hospitalizations*, National Center for Health Statistics, Hyattsville, MD.
- 8. Choi, H., Rajagopal, L. (2013): Food allergy knowledge, attitudes, practices, and training of foodservice workers at a university foodservice operation in the Midwestern United States, Food Control, No. 31, pp. 474–481.
- 9. De Blok, M., Vlieg-Boerstra, J., Oude Elberink, G., Duiverman, J., Galvin, A., Hourihane, B., Cornelisse-Vermaat, R., Frewer, L., Mills, C., Dubois, E. (2007): *A framework for measuring thesocial impact of food allergy across Europe: a EuroPrevall state of the art paper*, Allergy, No. 62, pp. 733–737.
- 10. Dupuis, R., Meisel, Z., Grande, D., Strupp, E., Kounaves, S., Graves, A., Frasso, R.,

- Cannuscio, C. (2016): Food allergy management among restaurant workers in a large U.S. city, Food Control, No. 63, pp. 147-157.
- 11. Fooddrink Europe (2013): Guidance on Food Allergen Management for Food Manufacturers.
- 12. Hattersley, S., Ward, R., Baka, A., Crevel, R. (2014): *Advances in the risk management of unintended presence of allergenic foods in manufactured food products An overview,* Food and Chemical Toxicology, No. 67, pp. 255-261.
- 13. Kroes, R., Galli, C., Munro, I., Schilter, B., Tran, L., Walker Würtzen, G. (2000): *Threshold of toxicological concern for chemical substances present in the diet:a practical tool for assessing the need for toxicity testing*, Food Chemical Toxicology, No. 38, pp. 255–312.
- 14. Kwon, J., Sauer, L., Wen, H., Bisges, E., Myers, L. (2013): *Dining experiences of customers with food allergies*, In: Poster Presented at the Food and NutritionConference and Expo (FNCE), Houston, Texas.
- 15. Lee, Y.M., Sozen, E. (2016): *Food allergy knowledge and training among restaurant employees*, International Journal of Hospitality Management, No.57, pp. 52-59.
- Madsen, B., Hattersley, S. Buck, J., Gendel, M., Houben, G., Hourihane, J., Mackie, A., Mills, N., Norhede, P., Taylor, S., Crevel, R. (2009): Approaches to risk assessment in food allergy: Report from a workshop "developing a framework for assessing the risk from allergenic foods", Food and Chemical Toxicology, No. 47, pp. 480–489.
- Madsen, B., Hattersley, S., Allen, J., Beyer, K., Chan, H., Godefroy, B., Hodgson, R., Mills, N., Muñoz-Furlong, A., Schnadt, S., Ward, R., Wickman, M., Crevel R. (2012): Can we define a tolerable level of risk in food allergy? Report from aEuroPrevall/UK Food Standards Agency workshop, Clinical and Experimental Allergy, No. 42, pp. 30–37.
- 18. Mandabach, H., Ellsworth, A., Vanleeuwen, M., Blanch, G., Waters, L. (2005): Restaurant managers' knowledge of food allergies: a comparison of differences by chain or independent affiliation, type of service and size. Science Technology, Vol. 4, No. 2–3, pp. 63–77.
- 19. Popov-Raljić J. (2013): *Senzorna analiza hrane i pića*, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, Departman za geografiju, turizam i hotelijerstvo, Novi Sad, Srbija.
- 20. Popov-Raljić, J., Blešić, I. (2016): *Bezbednost hrane primena HACCP sistema u ugostiteljstvu i hotelijerstvu*, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, Departman za geografiju, turizam i hotelijerstvo, Novi Sad, Srbija.
- 21. Pravilnik o deklarisanju, označavanju i reklamiranju hrane ("Sl.glasnik RS" broj 19/2017).
- 22. Zurzolo, A., Mathai, L., Koplin, J., Allen, J. (2012): *Hidden allergens in foods and implications for labelling and clinical care of food allergic patients*, Curr Allergy Asthma Report , No.12, pp. 292-296.
- 23. Zurzolo, G., Koplin, J., Mathai, M., Taylor, S., Tey, D., Allen, K. (2013): *Foods with precautionary allergen labeling in Australia rarely contain detectable allergen*. Clinical Communications, No. 4, pp. 401-403.

UPRAVLJANJE RIZICIMA ALERGENIH NAMIRNICA U UGOSTITELJSTVU⁷

Jovanka Popov-Raljić⁸, Milica Aleksić⁹, Vesna Janković¹⁰, Ivana Blešić¹¹, Milan Ivkov¹²

Rezime

Nutritivni alergeni pojavili su se u poslednje dve decenije kao prikriven oblik pretnje koja bitno ugrožava javno zdravlje a njihovo označavanje i deklarisanje na prehrambenim proizvodima, piću i neupakovanim gastronomskim proizvodima jasno je definisano zakonskim regulativama.

U praksi menadžment hemijskih rizika suočen je sa više neočekivanih problema. Neki od njih su: hrana na čijoj je deklaraciji ili izjavi o alergnskim sastojcima, nutritivni alergen označen neuobičajenim imenom ili slični proizvodi različitih proizvođača od kojih jedan bezbedan a drugi sadrži alergen.

Ugostiteljski objekat koji se bavi proizvodnjom i distribucijom neupakovane hrane trebalo bi da osim razvijenog HACCP koncepta i standardizovanih receptura za pripremu hrane obezbedi detaljan, precizan i jasno definisan plan menadžmenta hemijskim rizicima.

Ključne reči: Alergene namirnice, menadžment rizicima, ugostiteljstvo, bezbednost hrane

Ovaj rad je deo kratkoročnog projekta Pokrajine Vojvodine, Novi Sad, pod nazivom: Poljoprivredni, prehrambeni i gastro proizvodi u funkciji razvoja turizma u Vojvodini usmereni na autentičnu, zdravu i bezbednu hranu pod brojem: 142-451-2669/2017.

⁸ Redovni professor, dr Jovanka Popov-Raljić, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, Departman za geografiju, turizam i hotelijerstvo, Trg Dositeja Obradovića br. 3. 21000 Novi Sad, Srbija, Telefon: +381 21 485 2884 E-mail: jovankaraljicpopov@gmail.com

⁹ Milica Aleksić M.A., Asistent, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, Departman za geografiju, turizam i hotelijerstvo, Trg Dositeja Obradovića br. 3. 21000 Novi Sad, Srbija, Telefon: +381 21 485 2884, E-mail: aleksic.milica75@gmail.com

¹⁰ Vesna Janković, Institut za higijenu i tehnologiju mesa (INMES), Odsek za mikrobiološka i molekularno-biološka istraživanja, Ulica Kacanskog br. 13, Beograd, Srbija, Telefon: +381 11 26 50 655, E-mail: yesna.jankovic@inmes.rs

¹¹ Vanredni profesor, dr Ivana Blešić, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, Departman za geografiju, turizam i hotelijerstvo, Trg Dositeja Obradovića br. 3. 21000 Novi Sad, Srbija, Telefon: +381 21 485 2884, E-mail: ivana.blesic@gmail.com

¹² Dr Milan Ivkov, Univerzitet u Novom Sadu, Prirodno-matematički fakultet, departman za geografiju, turizam i hotelijerstvo, Trg Dositeja Obradovića br. 3. 21000 Novi Sad, Srbija Telefon: +381 21 485 2842, E-mail: wikev.milan@gmail.com

CONTENT

1.	Drago Cvijanović, Jelena Matijašević – Obradović, Sanja Škorić THE IMPACT OF AIR QUALITY CONDITIONED BY EMISSION OF POLUTTANTS TO THE DEVELOPMENT OF RURAL TOURISM AND POTENTIALS OF RURAL AREAS 871
2.	Dejan Đurić, Jelena Ristić, Dragana Đurić, Ivana Vujanić EXPORT OF AGRICULTURAL AND FOOD PRODUCTS IN THE FUNCTION OF ECONOMIC GROWTH OF REPUBLIC OF SERBIA
3.	Tamara Gajić, Aleksandra Vujko, Mirjana Penić, Marko D. Petrović, Milutin Mrkša SIGNIFICANT INVOLVEMENT OF AGRICULTURAL HOLDINGS IN RURAL TOURISM DEVELOPMENT IN SERBIA 901
4.	Muuz Hadush EXPLORING FARMERS' SEASONAL AND FULL YEAR ADOPTION OF STALL FEEDING OF LIVESTOCK IN TIGRAI REGION, ETHIOPIA
5.	Mina Kovljenić, Mirko Savić FACTORS INFLUENCING MEAT AND FISH CONSUMPTION IN SERBIAN HOUSEHOLDS - EVIDENCE FROM SILC DATABASE . 945
6.	Bojan Krstić, Jelena Petrović, Tanja Stanišić, Ernad Kahrović ANALYSIS OF THE ORGANIC AGRICULTURE LEVEL OF DEVELOPMENT IN THE EUROPEAN UNION COUNTRIES 957
7.	Mirjana Lukač Bulatović, Veljko Vukoje, Dušan Milić ECONOMIC INDICATORS OF THE PRODUCTION OF IMPORTANT FRUIT-SPECIFIC SPECIES IN VOJVODINA 973
8.	Goran Maksimović, Božidar Milošević, Radomir Jovanović RESEARCH OF CONSUMERS' ATTITUDES ON THE ORGANIC FOOD CONSUMPTION IN THE SERBIAN ENCLAVES IN KOSOVO 987

Economics of Agriculture, Year 64, No. 3 (861-1312) 2017, Belgrade

9.	Mičić, Zoran Rajić, Jelena Zivković, Dragan Orović, Marko Mičić, Ivana Mičić, Marija Mičić OPTIMAL FLOCK STRUCTURE OF PIG FARM PROVIDING MINIMUM COSTS
10.	Miroslav Miškić, Goran Ćorić, Danijela Vukosavljević BUILDING FINANCIAL AND INSURANCE RESILIENCE IN THE CONTEXT OF CLIMATE CHANGE
11.	Vladimir Njegomir, Ljubo Pejanović, Zoran Keković AGRICULTURAL ENTREPRENEURSHIP, ENVIRONMENTAL PROTECTION AND INSURANCE
12.	Nenad Perić, Andrijana Vasić Nikčević, Nenad Vujić CONSUMERS ATTITUDES ON ORGANIC FOOD IN SERBIA AND CROATIA: A COMPARATIVE ANALYSIS
13.	Branko Vučković, Branislav Veselinović, Maja Drobnjaković FINANCING OF PERMANENT WORKING CAPITAL IN AGRICULTURE
14.	Bahrija Kačar, Jasmina Curić, Selma Ikić ISLAMIC BANKS AND FINANCE AND THE POSSIBILITY OF AGRICULTURAL INVESTMENTS IN THE REPUBLIC OF SERBIA
15.	Aleksandar Damnjanović, Neđo Danilović, Erol Mujanović, Zoran Milojević NONLINEAR STOCHASTIC MODELLING DYNAMIC OF THE AGRICULTURAL PRODUCTS EXCHANGE RATES
16.	Filip Đoković, Radovan Pejanović, Miloš Mojsilović, Jelena Đorđević Boljanović, Katarina Plećić OPPORTUNITIES TO REVITALISE RURAL TOURISM THROUGH THE OPERATION OF AGRARIAN COOPERATIVES
17.	Aleksandar Jazić, Miloš Jončić THE IMPACT OF TRANSITION ON AGRICULTURE AND RURAL AREAS IN HUNGARY
18.	Vlado Kovačević, Mirjana Bojčevski, Biljana Chroneos Krasavac IMPORTANCE OF FEEDBACK INFORMATION FROM FARM ACCOUNTANCY DATA NETWORK OF THE REPUBLIC OF SERBIA

Economics of Agriculture, Year 64, No. 3 (861-1312) 2017, Belgrade

19.	Dalibor Krstinić, Nenad Bingulac, Joko Dragojlović CRIMINAL AND CIVIL LIABILITY FOR ENVIRONMENTAL DAMAGE
20.	Boris Kuzman, Nedeljko Prdić, Zoran Dobraš THE IMPORTANCE OF THE WHOLESALE MARKETS FOR TRADE IN AGRICULTURAL PRODUCTS
21.	Nadežda Ljubojev, Marijana Dukić Mijatović, Željko Vojinović LEGAL PROTECTION OF NEW PLANT VARIETIES IN THE REPUBLIC OF SERBIA
22.	Miodrag Mićović THE LEGAL NATURE AND THE FRAMEWORK FOR COOPERATIVE ACTIVITIES
23.	Lana Nastic, Todor Markovic, Sanjin Ivanovic ECONOMIC EFFICIENCY OF EXTENSIVE LIVESTOCK PRODUCTION IN THE EUROPEAN UNION
24.	Goran Paunovic, Dragan Solesa, Marko Ivanis SITE SELECTION OF THE CONSTRUCTION OF THE SYSTEM FOR THE PRODUCTION OF PASTA IN AP VOJVODINA
25.	Milan Počuča, Jelena Matijasevic - Obradovic, Bojana Draskovic CORRELATION BETWEEN THE AIR QUALITY INDEX SAQI_11 AND SUSTAINABLE RURAL DEVELOPMENT IN THE REPUBLIC OF SERBIA
26.	Jovanka Popov-Raljić, Milica Aleksić, Vesna Janković, Ivana Blešić, Milan Ivkov RISK MANAGEMENT OF ALLERGENIC FOOD INGREDIENTS IN HOSPITALITY
27.	Tanja Vujović, Sonja Vujović, Miloš Pavlović SOCIAL RESPONSIBILITY IN MARKETING OF THE FOOD INDUSTRY AND ITS DISTRIBUTORS